

# 2026 Wine, Spirit and Premium Labeling Portfolio

## New Label Materials

C4652 Fasson® 70# 30% Natural Grass 70% PCW Wet-Strength FSC®/Z2010B/1.2 Mil PET

B5835 Fasson® 70# Classic® Felt Natural White Wet-Strength FSC®/Z2010B/1.2 Mil PET

C2971 60# Cambric Wet-Strength FSC® /AT20N/1.2 Mil PET

C2961 60# Tramado Blanco Wet-Strength FSC® /AT20N/1.2 Mil PET

C2909 144# Silver Alloy FSC®/Z2010/1.2 Mil PET





Material: Copper Hammered Metal

# Top Shelf Trends

The dynamic benefits PS label materials allow brands to capitalize on design trends, keep consumers engaged and their packaging vibrant. The following are a few PS labeling trends that continue to impact the wine, craft and spirits segment.

## **Tactile Labels**

One of the strongest emerging trends takes design beyond the visual, and into the tactile space. Embossing is big, and designers seem to be stretching creatively by using thicker facestocks and specialty materials such as wood veneer, leather-feel, varnished, and metal foil.

## **Labels That Stand Up to Wet Environments**

Designers seem to have an expanded definition of “shelf appeal.” They understand it’s not simply how the label looks on a store shelf, but how it looks throughout its lifetime. This means making sure even an uncoated facestock avoids greying, wilting, or peeling when it’s on ice.

## **The Label as an Extension of the Brand**

In the competitive wine landscape, brand owners know the label is the main point of contact with the consumer. It’s not simply a “tag” that identifies the maker of the wine. It’s a canvas that connects with the buyer through striking visuals, graphics, and compelling storytelling.

For more information, visit [label.averydennison.com/wineandspirits](https://label.averydennison.com/wineandspirits)

# Uncork Sustainability

What pairs perfectly with a wine label? Materials that are recycled and responsibly sourced. Our Cotton, and Barley facestocks are made with recycled material, giving brands a compelling story, and consumers one more reason to feel good about their favorite vintage.

## Cotton Range

Our Cotton Range reminds consumers of all they love about cotton, with a look and feel that begs to be touched. Choose from materials made with 25 to 100 percent cotton for tactility ranging from simply soft to almost plush. Colors include white, and deep black.



## Renewable Range

From organic waste to a label - the renewable range includes and barley facestocks which allow brands to meet the demands for label materials containing both organic materials and recycled content

## Materials with Recycled content

We offer a wide range of facestocks and rPET liners made with 25 to 100 percent postconsumer waste content.



<b>Spec#</b>	<b>Product Description</b>
<b>Uncoated Papers</b>	
19993	Fasson® 60# Uncoated Litho Wet-Strength FSC® /AT20N/1.2 Mil PET
B5582	Fasson® 60# Uncoated Litho Wet-Strength FSC® /Z2010/1.2 Mil PET
54104	Fasson® 60# Uncoated Litho Wet-Strength FSC® /Z1010/1.2 Mil PET
B5787	Fasson® 60# Estate Label® No. 4 Wet-Strength FSC® /Z2010/1.2 Mil PET
19651	Fasson® 60# Estate Label® No. 4 Wet-Strength FSC® /AT20N/1.2 Mil PET
54142	Fasson® 60# Estate Label® No. 4 Wet-Strength FSC® /Z1010/1.2 Mil PET
B5845	Fasson® 60# Estate Label® No. 4 Wet-Strength FSC® /Z2010/44#PK
19650	Fasson® 60# Estate Label® No. 8 Wet-Strength FSC® /AT20N/1.2 Mil PET
15952	Fasson® 60# Estate Label® No. 8 Wet-Strength FSC® /AT20N/44#PK
B5580	Fasson® 60# Estate Label® No. 8 Wet-Strength FSC® /Z2010/1.2 Mil PET
B5579	Fasson® 60# Estate Label® No. 8 Wet-Strength FSC® /Z2010/44#PK
B8676	Fasson® 80# Estate Label® No. 8 Wet-Strength FSC® /Z2010/1.2 Mil PET
54141	Fasson® 60# Estate Label® No. 8 Wet-Strength FSC® /Z1010/1.2 Mil PET
10449	Fasson® 60# Estate Label® No. 9 Wet-Strength FSC® /S246/40#SCK
B5801	Fasson® 60# Estate Label® No. 9 Wet-Strength FSC® /Z2010/1.2 Mil PET
B5848	Fasson® 60# Estate Label® No. 9 Wet-Strength FSC® /Z2010/44#PK
54186	Fasson® 60# Estate Label® No. 14 FSC® 100% PCW Wet-Strength AT20N/1.2 Mil 90% rPET
B5803	Fasson® 60# Estate Label® No. 17 Martele Wet-Strength FSC® /Z2010/1.2 Mil PET
B5842	Fasson® 60# Classic® Linen Solar White Wet-Strength FSC® /Z2010/44#PK
B5786	Fasson® 60# Classic® Crest® Wet-Strength FSC® /Z2010/44#PK
B5850	Fasson® 60# Classic® Linen Solar White Wet-Strength FSC® /Z2010/1.2 Mil PET
B5849	Fasson® 60# Classic® Crest Solar White Wet-Strength FSC® /Z2010/44#PK
B8581	Fasson® 60# Classic® Crest® Solar White Wet-Strength FSC® /Z2010/1.2 Mil PET
18513	Fasson® 60# Classic® Crest® Solar White Wet-Strength FSC® /AT20N/44#PK
19648	Fasson® 60# Classic® Crest® Solar White Wet-Strength FSC® /AT20N/1.2 Mil PET
B5838	Fasson® 70# Classic® Crest® Solar White Wet-Strength FSC® /Z2010B/1.2 Mil PET
B5852	Fasson® 60# Classic® Crest® Natural White Wet-Strength FSC® /Z2010/1.2 Mil PET
B5784	Fasson® 60# Classic® Crest® Natural White Wet-Strength FSC® /Z2010/44#PK
B5835	Fasson® 70# Classic® Felt Natural White Wet-Strength FSC® /Z2010B/1.2 Mil PET
B5844	Fasson® 60# Classic® Felt Natural White Wet-Strength FSC® /Z2010/44#PK

<b>Spec#</b>	<b>Product Description</b>
<b>Uncoated Papers</b>	
B5810	Fasson® 60# Classic® Felt Natural White Wet-Strength FSC®/Z2010/1.2 Mil PET
54170	Fasson® 60# Classic® Felt Natural White Wet-Strength FSC®/AT20N/44#PK
54171	Fasson® 60# Classic® Felt Natural White Wet-Strength FSC®/AT20N/1.2 Mil PET
B8849	Fasson® 70# Eggshell Felt Wet-Strength FSC®/Z2010B/44#PK
B5581	Fasson® 70# Eggshell Felt Wet-Strength FSC®/Z2010B/1.2 Mil PET
B8881	Fasson® 70# Titanium White Eggshell Wet-Strength FSC®/Z2010B/1.2 MIL PET
B5584	Fasson® 70# Bright White Felt Wet-Strength FSC®/Z2010B/1.2 Mil PET
B5815	Fasson® 70# Bright White Felt Wet-Strength FSC®/Z2010B/44#PK
54143	Fasson® 70# Bright White Felt Wet-Strength FSC®/Z1010/1.2 Mil PET
C1301	Fasson® 70# Bright White Felt 30% PCW Wet-Strength FSC®/Z2010B/1.2 Mil PET
B5795	Fasson® 60# Luna Wet-Strength FSC®/Z2010/1.2 Mil PET
B5821	Fasson® 70# Royal White Wet-Strength FSC®/Z2010B/1.2 Mil PET
B5836	Fasson® 74# Global White Wet-Strength FSC®/Z2010B/1.2 Mil PET
<b>Black Collection</b>	
B5856	Fasson® 60# Black Vellum Wet-Strength FSC®/Z2010/44# PK
B5799	Fasson® 60# Black Vellum Wet-Strength FSC®/Z2010/1.2 Mil PET
B5824	Fasson® 70# Classic® Laid Epic Black Wet-Strength FSC®/Z2010B/1.2 Mil PET
B5804	Fasson® 60# Estate Label® No. 25 Black Wet-Strength FSC®/Z2010/1.2 Mil PET
<b>Luminous Collection</b>	
53663	Fasson® 67# Brushed Platinum Wet-Strength/AT20N/1.2 Mil PET
B5809	Fasson® 60# Frozen Orion Diamond Wet-Strength FSC®/Z2010/1.2 Mil PET
C1894	Fasson® 60# Frozen Orion Diamond Wet-Strength FSC®/AT20N/1.2 Mil PET
C2557	Fasson® 60# Frozen Orion Diamond Wet-Strength FSC®/AT20N/44#PK
B9678	Fasson® 64# Sparkling Asti Wet-Strength FSC®/Z2010/1.2 Mil PET
B5794	Fasson® 64# White Pearl Wet-Strength FSC®/Z2010/1.2 Mil PET
53607	Fasson® 64# White Pearl Wet-Strength FSC®/AT20N/1.2 Mil PET

**Spec#**            **Product Description**

**Sensorial Collection**

B8484	70# Brushstroke 30% PCW WS FSC®/Z2010B/1.2 Mil PET
B8487	70# Houndstooth 30% PCW WS FSC®/Z2010B/1.2 Mil PET
53605	Fasson® 119# Cherry Wood/AT20N/1.2 Mil PET
B5577	Fasson® 80# Cotton White Tree Free Wet-Strength/Z2010B/1.2 Mil PET
B5779	Fasson® 70# 100% Pure Cotton Wet-Strength/Z2010B/1.2 Mil PET
B5781	Fasson® 70# 25% Black Cotton Feel 30% PCW Wet-Strength FSC®/Z2010B/1.2 Mil PET
B5780	Fasson® 70# 25% Cotton Feel Wet-Strength/Z2010B/1.2 Mil PET
B5834	Fasson® 100# Silver Hammered Metal FSC®/Z2010B/1.2 Mil PET
B6870	Fasson® Stoneface/S333/1.2 Mil PET

**Neck Labels**

B9833	54# Semi-gloss Wet Strength FSC®/Z2010/1.2 Mil PET
B9874	47# Estate Label® No. 8 Wet Strength FSC®/Z2010/1.2 Mil PET
B9875	48# Uncoated/Z2010/1.2 Mil PET
B5798	Fasson® 56# MaxFlex™ Bright Silver FSC®/Z2010/1.2 Mil PET

**Matte Litho (Coated) Papers**

B5791	Fasson® 60# Matte Litho WN/Z2010/44#PK
B5792	Fasson® 60# Matte Litho WN/Z2010/1.2 Mil PET
19298	Fasson® 60# Matte Litho Wet-Strength/AT20N/44#PK
53460	Fasson® 60# Matte Litho WN/AT20N/1.2 Mil PET

**Spec# Product Description**

**Glossy Papers**

B2504	Fasson® 60# Cast Gloss FSC®/AT20N/1.2 Mil PET
B5814	Fasson® 60# Cast Gloss FSC®/Z2010/1.2 Mil PET
19655	Fasson® 60# Semi-Gloss Elite™ WN FSC®/AT20N/1.2 Mil PET
B5797	Fasson® 60# Semi-Gloss Elite™ FSC®/Z2010/1.2 Mil PET
B7185	Fasson® 54# Semi-Gloss Wet-Strength FSC®/C4500/40#PK
B5585	Fasson® 70# Premium High Gloss FSC®/Z2010B/1.2M PET
19525	Fasson® 70# Premium High Gloss FSC®/AT20N/1.2 Mil PET

**Films**

B7764	Fasson® 2 Mil Metallized BOPP TC/ S7000ER/1.2 Mil PET
79113	Fasson® 2 Mil Clear BOPP TC/Z3300/1.2 Mil PET
B8019	Fasson® High Performance FasClear® TC/S7000ER/1.2 Mil Polyester
B7735	Fasson® High Performance PRIMAX® TC/S7000ER/1.2 Mil Polyester

**HP Indigo Press Printable**

B8850	Fasson® 60# Estate Label® No. 8 Wet-Strength FSC® ITC/Z2010/44#PK
53338	Fasson® 60# Estate Label® No. 8 Wet-Strength FSC® ITC/AT20N/1.2 Mil PET
B8852	Fasson® 60# Estate Label® No. 9 Wet-Strength FSC® ITCZ2010/44#PK
B8853	Fasson® 60# Classic Crest® Solar White Wet-Strength FSC® ITC/Z2010/44#PK
B8856	Fasson® 70# Bright White Felt Wet-Strength FSC® ITC/Z2010B/44#PK
B8858	Fasson® 70# Eggshell Felt FSC® ITC/Z2010B/1.2 Mil PET

**Laminated Foils and Metallized Papers**

B5854	Fasson® 70# Bright Silver Laminated Foil FSC®/Z2010/44#PK
19902	Fasson® 70# Bright Silver Laminated Foil FSC®/AT20N/1.2 Mil PET
53459	Fasson® 70# Dull Silver Laminated Foil FSC®/AT20N/1.2 Mil PET
B5796	Fasson® 56# MaxFlex™ Bright Silver FSC®/Z2010/44#PK
53352	Fasson® 56# MaxFlex™ Bright Silver FSC®/AT20N/40#SCK
53380	Fasson® 56# MaxFlex™ Bright Silver FSC®/AT20N/1.0 Mil PET
53381	Fasson® 56# MaxFlex™ Bright Silver FSC®/AT20N/1.2 Mil PET
B5798	Fasson® 56# MaxFlex™ Bright Silver FSC®/Z2010/1.2 Mil PET

<b>Spec#</b>	<b>Product Description</b>
<b>Welded Papers</b>	
B5576	Fasson® 70# Bright White Felt Wet-Strength FSC® Weld/Z2010B/1.2 Mil PET
B5820	Fasson® 70# Bright White Felt Wet-Strength FSC® Weld/Z2010B/44#PK
54236	Fasson® 60# Classic Crest® Solar White FSC® Weld/AT20N/1.2 Mil PET
B5806	Fasson® 60# Classic® Laid Wet-Strength FSC® Weld/Z2010/44# PK
53898	Fasson® 60# Classic® Linen Solar White Wet-Strength FSC® Weld/AT20N/44#PK
B5812	Fasson® 60# Classic® Linen Wet Strength FSC® Weld/Z2010/44#PK
B5829	Fasson® Eggshell Wet Strength FSC® Weld/Z2010B/1.2 Mil PET
53933	Fasson® 60# Estate Label® No. 4 Wet-Strength FSC® Weld/AT20N 1.2 Mil PET
53476	Fasson® 60# Estate Label® No. 8 Wet-Strength FSC® Weld/AT20N/1.2 Mil PET
B5583	Fasson® 60# Estate Label® No. 8 Wet-Strength FSC® Weld/Z2010/1.2 Mil PET
18523	Fasson® 60# Estate Label® No. 8 Wet-Strength FSC® Weld/AT20N/44#PK
B5819	Fasson® 60# Estate Label® No. 9 Wet-Strength FSC® Weld/Z2010B/44#PK
79742	Fasson® 60# Estate #9 Wet Strength FSC® Weld/AT20N/1.2 Mil PET
53926	Fasson® 60# Matte Litho WN Weld/AT20N/44#PK
53945	Fasson® 70# Premium High Gloss FSC® Weld/AT20N/1.2 Mil PET
79708	Fasson® 60# Semi Gloss FSC® Weld/AT20N/1.2 Mil PET
B8894	Fasson® 60# Uncoated Litho Wet-Strength FSC® Weld/Z2010/1.2 Mil PET
53007	Fasson® 60# Uncoated Litho Wet-Strength FSC® Weld/AT20N/1.2 Mil PET
B7401	Fasson® 60# White Pearl Wet Strength FSC® Weld/AT2N/1.2 Mil PET

[label.averydennison.com](http://label.averydennison.com)

A389996 01/2026

All Avery Dennison statements, technical information and recommendations are based on tests believed to be reliable but do not constitute a guarantee or warranty. All Avery Dennison products are sold with the understanding that purchaser has independently determined the suitability of such products for its purposes. All Avery Dennison products are sold subject to Avery Dennison's general terms and conditions of sale found at [label.averydennison.com/en/home/terms-and-conditions.html](http://label.averydennison.com/en/home/terms-and-conditions.html).

© 2025 Avery Dennison Corporation. All rights reserved. The "Making Possible" tagline, Avery Dennison and all other Avery Dennison brands, product names and codes are trademarks of Avery Dennison Corporation. All other brands or product names are trademarks of their respective owners. Fortune 500® is a trademark of Time, Inc. Branding and other information on any samples depicted are fictitious. Any resemblance to actual names is purely coincidental.



**MAKING POSSIBLE™**